

Halo Fractional Laser Treatment | Post Treatment Instructions

WHAT TO EXPECT POST TREATMENT:

- Redness is normal and expected. It generally increases in intensity the first few days after treatment with days 2-3 being the most intense. Redness may persist for up to 7 days depending on the aggressiveness of the treatment.
- Pinpoint bleeding may occur. This can last for a few hours - 12 hours depending on the treatment depth and may be isolated to certain areas.
- Immediately after treatment, swelling is common and expected. Use of a cold compress or ice packs will help to relieve the swelling. To avoid further swelling, you may choose to sleep in an upright position the first night after the treatment. The first morning post treatment is when swelling is more prevalent, especially under the eyes. Swelling may last 2-4 days depending on the aggressiveness of the treatment.
- The treated area may be extremely warm for 12-24 hours after the treatment. Cold compresses or ice packs may provide comfort during this time.
- On the 2nd or 3rd day after treatment, you will increasingly notice tiny dark spots and a bronzed appearance to the treated skin. These are called MENDS (microscopic epidermal necrotic debris). In individuals with heavily pigmented skin, or in areas where sun damage has produced pigmented lesions, the microscopic wounds, known as MENDS, contain large amounts of melanin. Because there are so many MENDS, they can make the skin look bronzed and small areas appear crusted (**do not try to scratch them off**). This is part of the healing process where treated tissue is working its way out of your body as new fresh skin is regenerated. During this time, your skin will be very dry, have a sandpaper texture and will begin to flake and peel. If the face is treated, it could take 5-7 days for the peeling process to be completed. If the neck, chest or anywhere on the body was treated, this process could take up to 2 weeks.

- After the peeling process is complete, your skin will have a rosy, pink glow that will gradually resolve. Your clinician will inform you and advise you of when make-up can be used and which kind.
- If an antiviral was prescribed for you, continue to take as directed.
- Post treatment discomfort may be relieved by over the counter oral pain relievers such as: Extra Strength Tylenol.
- Itching may be experienced during the healing phase and is completely normal. Oral Benadryl may help itching but can cause drowsiness. **DO NOT scratch the treated area as scarring and pigmentation complications can occur.**

POST CARE INSTRUCTIONS:

- Immediately after treatment, your clinician will apply Oxygenetix Oxygenating Foundation to the treated area and Oxygenetix Moisturizer should be reapplied as needed to keep the skin moist.
- Cleanse the area once a day with plain, lukewarm water and a gentle cleanser such as Cetaphil or Neocutis Gentle Cleanser, beginning 24 hours after the treatment. Use your hands to gently apply the cleanser and water and finish by patting dry with a clean, soft cloth. **DO NOT rub, scrub, use an exfoliant or a skin care brush e.g. Clarisonic on the treated area. Doing so could result in scarring and pigmentation complications.**
- Oxygenetix Moisturizer should be applied generously over treated area and reapplied whenever your skin feels dry.
- Peeling and flaking generally occurs within 24 hours post treatment and should be allowed to come off naturally. **DO NOT PICK, RUB, OR FORCE OFF ANY SKIN DURING THE HEALING PROCESS, THIS COULD RESULT IN SCARRING, PIGMENTATION COMPLICATIONS AND INFECTION!** Gently washing the skin more frequently will help to promote the peeling process.

- Sunscreen is a **MUST** and should be used daily beginning the day of treatment and used vigilantly for up to 3 months post procedure. Use recommended sunscreen with broadband protection (UVA and UVB) and a sun protection factor (SPF) of 30 or more. Apply sunscreen 20 minutes before sun exposure. Reapply sunscreen every 2 hours. If direct sun exposure is necessary, wear a hat and clothing that covers the treated area. If the treated area is exposed to sun (direct or indirect) blistering, scarring, hyperpigmentation or hypo-pigmentation can / will occur. Sun exposure should be avoided for 2 months post treatment.
- Typically, after the peeling process is complete, makeup can be worn (5-7 days after treatment).
- When showering in the next few days, be sure to avoid getting shampoo directly on the treated area. You may consider taking your shower with the back of your head to the water to avoid directly hitting your face with the full force stream of the water.
- Avoid strenuous exercise and sweating until after skin has healed (5-7 days after treatment).

WARNING:

There may be some degree of swelling immediately post treatment; however, if you have **EXCESSIVE** swelling or any of the following signs of infection, you should contact the office immediately. Signs of infection include:

- Drainage – looks like pus
- Increased warmth at or around the treated area
- Fever of 101.5 or greater
- Extreme itching